EXPORTA®
Performance beyond the box.

Premium Wooden Flexi Crate® Pallet Collar – 800 x 600mm

Product Code: **01-PC80602**

Double Tongue & Groove Joint

EXPORTA | INDUSTRY STANDARD

Substantial Full Height Hinge

Specification

External Size (LxWxH)	Internal Size	Volume	Weight	Vertical Load Capacity	Board Thickness	Boards	Hinges
800 x 600 x 195mm	762 x 562 x 195mm	83.5 ltr	5.68 kg (+/- 10%)	6,000 kg	19mm	2, Tongue & Groove Joint	4. 1.25mm thick

*Vertical Load Capacity is approved by TÜVRheinland® Genau. Richtig. but needs to be considered in conjunction with the base pallet.

Additional Information

Material	Kiln Dried Softwood. Max 22% moisture
Truck Quantity	3.888 pcs
ISPM 15	Compliant
Delivery	Next Working Day
Grades	Premium – no visual blemishes Industrial – some visual blemishes

Optional Extras

- **Printed Logo** ✓
- **Coloured Hinges** ✓
- **Product Track** ✓
- **Free Recycling** ✓
- **Custom Colours** ✓

CO2 NEUTRAL Carbon Neutral Certified PAS 2060 | BMTRADA ISO 9001 | BMTRADA ISO 14001

EXPORTA®
Performance beyond the box.

Premium Wooden Flexi Crate® Pallet Collar – 1,000 x 800mm

Product Code: **01-PC1080**

Double Tongue & Groove Joint

EXPORTA | INDUSTRY STANDARD

Substantial Full Height Hinge

Specification

External Size (LxWxH)	Internal Size	Volume	Weight	Vertical Load Capacity*	Board Thickness	Boards	Hinges
1,000 x 800 x 195mm	962 x 762 x 195mm	142.9 ltr	7.37 kg (+/- 10%)	6,000 kg	19mm	Single	4. 1.25mm thick

*Vertical Load Capacity is approved by TÜVRheinland® Genau. Richtig. but needs to be considered in conjunction with the base pallet.

Additional Information

Material	Kiln Dried Softwood. Max 22% moisture
Truck Quantity	2,808 pcs
ISPM 15	Compliant
Delivery	Next Working Day
Grades	Premium – no visual blemishes Industrial – some visual blemishes

Optional Extras

- **Printed Logo** ✓
- **Coloured Hinges** ✓
- **Product Track** ✓
- **Free Recycling** ✓
- **Custom Colours** ✓

CO2 NEUTRAL Carbon Neutral Certified PAS 2060 | BMTRADA SYSTEM CERTIFICATION ISO 9001 | BMTRADA SYSTEM CERTIFICATION ISO 14001

EXPORTA®
Performance beyond the box.

Premium Wooden Flexi Crate® Pallet Collar – 1,000 x 1,000mm

Product Code: **01-PC1010**

Double Tongue & Groove Joint

EXPORTA | INDUSTRY STANDARD

Substantial Full Height Hinge

Specification

External Size (LxWxH)	Internal Size	Volume	Weight	Vertical Load Capacity*	Board Thickness	Boards	Hinges
1,000 x 1,000 x 195mm	962 x 962 x 195mm	180.4 ltr	8.10 kg (+/- 10%)	6,000 kg	19mm	Single	4. 1.25mm thick

*Vertical Load Capacity is approved by TÜVRheinland® Genau. Richtig. but needs to be considered in conjunction with the base pallet.

Additional Information

Material	Kiln Dried Softwood. Max 22% moisture
Truck Quantity	2,808 pcs
ISPM 15	Compliant
Delivery	Next Working Day
Grades	Premium – no visual blemishes Industrial – some visual blemishes

Optional Extras

- **Printed Logo** ✓
- **Coloured Hinges** ✓
- **Product Track** ✓
- **Free Recycling** ✓
- **Custom Colours** ✓

CO2 NEUTRAL Carbon Neutral Certified PAS 2060 | BMTRADA SYSTEM CERTIFICATION ISO 9001 | BMTRADA SYSTEM CERTIFICATION ISO 14001

EXPORTA®
Performance beyond the box.

Premium Wooden Flexi Crate® Pallet Collar – 1,200 x 800mm

Product Code: **01-PC12802**

Double Tongue & Groove Joint

EXPORTA | INDUSTRY STANDARD

Substantial Full Height Hinge

Specification

External Size (LxWxH)	Internal Size	Volume	Weight	Vertical Load Capacity*	Board Thickness	Boards	Hinges
1,200 x 800 x 195mm	1,162 x 762 x 195mm	172.6 ltr	7.75 kg (+/- 10%)	6,000 kg	19mm	2, Tongue & Groove Joint	4. 1.25mm thick

*Vertical Load Capacity is approved by TÜVRheinland® Genau. Richtig. but needs to be considered in conjunction with the base pallet.

Additional Information

Material	Kiln Dried Softwood. Max 22% moisture
Truck Quantity	2,808 pcs
ISPM 15	Compliant
Delivery	Next Working Day
Grades	Premium – no visual blemishes Industrial – some visual blemishes

Optional Extras

- **Printed Logo** ✓
- **Coloured Hinges** ✓
- **Product Track** ✓
- **Free Recycling** ✓
- **Custom Colours** ✓

CO2 NEUTRAL Carbon Neutral Certified PAS 2060 | BMTRADA SYSTEM CERTIFICATION ISO 9001 | BMTRADA SYSTEM CERTIFICATION ISO 14001

EXPORTA®
Performance beyond the box.

Premium Wooden Flexi Crate® Pallet Collar – 1,200 x 1,000mm

Product Code: **01-PC12102**

Double Tongue & Groove Joint

EXPORTA | INDUSTRY STANDARD

Substantial Full Height Hinge

Specification

External Size (LxWxH)	Internal Size	Volume	Weight	Vertical Load Capacity	Board Thickness	Boards	Hinges
1,200 x 1,000 x 195mm	1,162 x 962 x 195mm	217.9 ltr	8.82 kg (+/- 10%)	6,000 kg	19mm	2, Tongue & Groove Joint	4. 1.25mm thick

*Vertical Load Capacity is approved by TÜVRheinland® Genau. Richtig. but needs to be considered in conjunction with the base pallet.

Additional Information

Material	Kiln Dried Softwood. Max 22% moisture
Truck Quantity	2,592 pcs
ISPM 15	Compliant
Delivery	Next Working Day
Grades	**Premium** – no visual blemishes **Industrial** – some visual blemishes

Optional Extras

- **Printed Logo** ✓
- **Coloured Hinges** ✓
- **Product Track** ✓
- **Free Recycling** ✓
- **Custom Colours** ✓

CO2 NEUTRAL Carbon Neutral Certified PAS 2060 | BMTRADA ISO 9001 | BMTRADA ISO 14001

EXPORTA®
Performance beyond the box.

Premium Wooden Flexi Crate® Pallet Collar – 1,200 x 1,200mm

Product Code: **01-PC1212**

Double Tongue & Groove Joint

EXPORTA | INDUSTRY STANDARD

Substantial Full Height Hinge

Specification

External Size (LxWxH)	Internal Size	Volume	Weight	Vertical Load Capacity*	Board Thickness	Boards	Hinges
1,200 x 1,200 x 195mm	1,162 x 1,162 x 195mm	263.3 ltr	9.55 kg (+/- 10%)	6,000 kg	19mm	Single	4. 1.25mm thick

*Vertical Load Capacity is approved by TÜVRheinland® Genau. Richtig. but needs to be considered in conjunction with the base pallet.

Additional Information

Material	Kiln Dried Softwood. Max 22% moisture
Truck Quantity	
ISPM 15	Compliant
Delivery	Next Working Day
Grades	Premium – no visual blemishes Industrial – some visual blemishes

Optional Extras

- **Printed Logo** ✓
- **Coloured Hinges** ✓
- **Product Track** ✓
- **Free Recycling** ✓
- **Custom Colours** ✓

CO2 NEUTRAL Carbon Neutral Certified PAS 2060 | BMTRADA SYSTEM CERTIFICATION ISO 9001 | BMTRADA SYSTEM CERTIFICATION ISO 14001

EXPORTA®
Performance beyond the box.

Premium Wooden Flexi Crate® Pallet Collar – 1,600 x 1,200mm

Product Code: **01-PC16122**

Double Tongue & Groove Joint

EXPORTA | INDUSTRY STANDARD

Substantial Full Height Hinge

Specification

External Size (LxWxH)	Internal Size	Volume	Weight	Vertical Load Capacity*	Board Thickness	Boards	Hinges
1,600 x 1,200 x 195mm	1,562 x 1,162 x 195mm	353.9 ltr	11.01 kg (+/- 10%)	6,000 kg	19mm	Single	4. 1.25mm thick

*Vertical Load Capacity is approved by TÜVRheinland® Genau. Richtig. but needs to be considered in conjunction with the base pallet.

Additional Information

Material	Kiln Dried Softwood. Max 22% moisture
Truck Quantity	
ISPM 15	Compliant
Delivery	Next Working Day
Grades	Premium – no visual blemishes Industrial – some visual blemishes

Optional Extras

- **Printed Logo** ✓
- **Coloured Hinges** ✓
- **Product Track** ✓
- **Free Recycling** ✓
- **Custom Colours** ✓

CO2 NEUTRAL Carbon Neutral Certified PAS 2060 | BMTRADA SYSTEM CERTIFICATION ISO 9001 | BMTRADA SYSTEM CERTIFICATION ISO 14001